

Teest (kuivatatud materjal) QuEChERS-meetodiga analüüsitavate toimeainete, nende metaboliitide ja isomeeride nimekiri

Kehtiv alates 01.07.2022

Jrk. nr	Toimeaine	Alumine määramispõiir, mg/kg	Laiend-määramatus, U %, k=2
	2,4-D (sum of 2,4-D, its salts, its esters and its conjugates, expressed as 2,4-D)	0,1	50
1.	2,4-D	0,1	50
2.	2,4-D 2-EHE	0,05	50
3.	2-phenylphenol (sum of 2-phenylphenol and its conjugates, expressed as 2-phenylphenol)	0,05	50
4.	Acephate	0,05	50
5.	Acetamiprid	0,05	50
6.	Aclonifen	0,05	50
7.	Acrinathrin	0,05	50
	Aldicarb (sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb)	0,05	50
8.	Aldicarb	0,05	50
9.	Aldicarb-Sulfone	0,05	50
10.	Aldicarb-Sulfoxide	0,05	50
	Aldrin and Dieldrin (Aldrin and dieldrin combined expressed as dieldrin)	0,02	50
11.	Aldrin	0,02	50
12.	Dieldrin	0,02	50
13.	Ametoctradin	0,02	50
14.	Amidosulfuron	0,05	50
15.	Amitraz (amitraz including the metabolites containing the 2,4-dimethylaniline moiety expressed as amitraz)	0,1	50
16.	Azinphos-methyl	0,05	50
17.	Azoxystrobin	0,05	50
18.	Benalaxyl including other mixtures of constituent isomers including benalaxyl-M (sum of isomers)	0,05	50
	Bentazone (Sum of bentazone, its salts and 6-hydroxy (free and conjugated) and 8-hydroxy bentazone (free and conjugated), expressed as bentazone)	0,1	50
19.	Bentazone	0,1	50
20.	Benzovindiflupyr	0,05	50
	Bifenazate (sum of bifenazate plus bifenazate-diazene expressed as bifenazate)	0,05	50
21.	Bifenazate	0,05	50
22.	Bifenox	0,05	50
23.	Bifenthrin (sum of isomers)	0,05	50

Teest (kuivatatud materjal) QuEChERS-meetodiga analüüsitavate toimeainete, nende metaboliitide ja isomeeride nimekiri

Kehtiv alates 01.07.2022

Jrk. nr	Toimeaine	Alumine määramispõiir, mg/kg	Laiend-määramatus, U %, k=2
24.	Biphenyl	0,05	50
25.	Bitertanol (sum of isomers)	0,05	50
26.	Bixafen	0,01	50
27.	Boscalid	0,1	50
28.	Bromophos-ethyl	0,05	50
29.	Bromophos-methyl	0,05	50
30.	Bromopropylate	0,05	50
31.	Bromuconazole (sum of diasteroisomers)	0,05	50
32.	Bupirimate	0,05	50
33.	Buprofezin	0,05	50
34.	Cadusafos	0,05	50
	Captan (Sum of captan and THPI, expressed as captan)	0,05	50
35.	THPI	0,05	50
36.	Carbaryl	0,05	50
37.	Carbendazim and benomyl (sum of benomyl and carbendazim expressed as carbendazim)	0,05	50
38.	Carbetamide (sum of carbetamide and its S isomer)	0,05	50
	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran)	0,05	50
39.	Carbofuran	0,05	50
40.	Carbofuran, 3-hydroxy	0,05	50
	Carboxin (carboxin plus its metabolites carboxin sulfoxide and oxycarboxin (carboxin sulfone), expressed as carboxin)	0,05	50
41.	Carboxin	0,05	50
42.	Chlorantraniliprole (DPX E-2Y45)	0,02	50
43.	Chlorbufam	0,05	50
44.	Chlorfenapyr	0,05	50
45.	Chlorfenvinphos	0,05	50
	Chloridazon (sum of chloridazon and chloridazon-desphenyl, expressed as chloridazon)	0,1	50
46.	Chloridazon	0,1	50
47.	Chlorobenzilate	0,05	50
48.	Chlorothalonil	0,05	50
49.	Chlorotoluron	0,05	50
50.	Chlorpropham	0,05	50
51.	Chlorpyrifos	0,05	50

Teest (kuivatatud materjal) QuEChERS-meetodiga analüüsitavate toimeainete, nende metaboliitide ja isomeeride nimekiri

Kehtiv alates 01.07.2022

Jrk. nr	Toimeaine	Alumine määramispõiir, mg/kg	Laiend-määramatus, U %, k=2
52.	Chlorpyrifos-methyl	0,05	50
53.	Chlorsulfuron	0,05	50
54.	Chlozolinate	0,05	50
55.	Clofentezine	0,05	50
56.	Clomazone	0,05	50
57.	Clopyralid	0,5	50
58.	Cloquintocet-1-Methyl	0,05	50
59.	Clothianidin	0,5	50
60.	Coumaphos	0,05	50
61.	Cyanazine	0,1	50
62.	Cyazofamid	0,05	50
	Cycloxydim including degradation and reaction products which can be determined as 3-(3-thianyl)glutaric acid S-dioxide (BH 517-TGSO2) and/or 3-hydroxy-3-(3-thianyl)glutaric acid S-dioxide (BH 517-5-OH-TGSO2) or methyl esters thereof, calculated in total as cycloxydim	0,05	50
63.	Cycloxydim	0,05	50
64.	Cyflufenamid (sum of cyflufenamid (Z-isomer) and its E-isomer, expressed as cyflufenamid)	0,05	50
65.	Cyfluthrin (cyfluthrin including other mixtures of constituent isomers (sum of isomers))	0,1	50
66.	Cymiazol	0,1	50
67.	Cymoxanil	0,05	50
	Cypermethrin (cypermethrin including other mixtures of constituent isomers (sum of isomers))	0,1	50
68.	Cypermethrin	0,1	50
69.	Cypermethrin, alpha- (Alphamethrin)	0,1	50
70.	Cypermethrin, beta-	0,1	50
71.	Cyproconazole	0,05	50
72.	Cyprodinil	0,05	50
	DDT (sum of p,p'-DDT, o,p'-DDT, p-p'-DDE and p,p'-TDE (DDD) expressed as DDT)	0,05	50
73.	DDD, p,p-	0,05	50
74.	DDE, p,p-	0,05	50
75.	DDT, o,p-	0,05	50
76.	DDT, p,p-	0,05	50
77.	Deltamethrin (cis-deltamethrin)	0,1	50
78.	Demeton-S-methyl	0,05	50
79.	Desmedipham	0,05	50

Teest (kuivatatud materjal) QuEChERS-meetodiga analüüsitavate toimeainete, nende metaboliitide ja isomeeride nimekiri

Kehtiv alates 01.07.2022

Jrk. nr	Toimeaine	Alumine määramispõiir, mg/kg	Laiend-määramatus, U %, k=2
80.	Desmetryn	0,05	50
	Dichlorprop (Sum of dichlorprop (including dichlorprop-P), its salts, esters and conjugates, expressed as dichlorprop)	0,1	50
81.	Dichlorprop	0,1	50
82.	Dichlorvos	0,05	50
	Sum of diclofop-methyl, diclofop acid and its salts, expressed as diclofop-methyl (sum of isomers)	0,05	50
83.	Diclofop-Methyl	0,05	50
84.	Dicloran	0,05	50
85.	Dicofol (sum of p, p' and o,p' isomers)	0,05	50
86.	Dicrotophos	0,05	50
87.	Diethofencarb	0,05	50
88.	Difenoconazole	0,05	50
89.	Diflubenzuron	0,1	50
90.	Diflufenican	0,05	50
91.	Dimethachlor	0,05	50
92.	Dimethenamid including other mixtures of constituent isomers including dimethenamid-P (sum of isomers)	0,05	50
93.	Dimethoate	0,05	50
94.	Dimethomorph (sum of isomers)	0,05	50
95.	Dimoxystrobin	0,05	50
96.	Diniconazole (sum of isomers)	0,05	50
	Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap)	0,05	50
97.	Dinocap	0,05	50
98.	Dinotefuran	0,05	50
99.	Diphenylamine	0,05	50
	Disulfoton (sum of disulfoton, disulfoton sulfoxide and disulfoton sulfone expressed as disulfoton)	0,05	50
100.	Disulfoton	0,05	50
101.	Diuron	0,05	50
102.	Dodine	0,05	50
103.	Emamectin benzoate B1a, expressed as emamectin	0,05	50
	Endosulfan (sum of alpha- and beta-isomers and endosulfan-sulphate expresses as endosulfan)	0,05	50
104.	Endosulfan, alpha-	0,05	50
105.	Endosulfan, beta-	0,05	50
106.	Endosulfan-sulfate	0,05	50

Teest (kuivatatud materjal) QuEChERS-meetodiga analüüsitavate toimeainete, nende metaboliitide ja isomeeride nimekiri

Kehtiv alates 01.07.2022

Jrk. nr	Toimeaine	Alumine määramispõiir, mg/kg	Laiend-määramatus, U %, k=2
107.	Endrin	0,05	50
108.	EPN	0,05	50
109.	Epoxiconazole	0,05	50
110.	Ethametsulfuron-methyl	0,02	50
111.	Ethiofencarb	0,05	50
112.	Ethion	0,05	50
113.	Ethirimol	0,05	50
	Ethofumesate (Sum of ethofumesate, 2-keto-ethofumesate, open-ring-2-keto-ethofumesate and its conjugate, expressed as ethofumesate)	0,05	50
114.	Ethofumesate	0,05	50
115.	Ethoprophos	0,05	50
116.	Etofenprox	0,05	50
117.	Etoxazole	0,05	50
118.	Etriflumuron	0,1	50
119.	Famoxadone	0,05	50
120.	Fenamidone	0,05	50
	Fenamiphos (sum of fenamiphos and its sulphoxide and sulphone expressed as fenamiphos)	0,05	50
121.	Fenamiphos	0,05	50
122.	Fenamiphos-sulfone	0,05	50
123.	Fenamiphos-sulfoxide	0,05	50
124.	Fenarimol	0,05	50
125.	Fenazaquin	0,1	50
126.	Fenbuconazole (sum of constituent enantiomers)	0,05	50
	Fenchlorphos (sum of fenchlorphos and fenchlorphos oxon expressed as fenchlorphos)	0,05	50
127.	Fenchlorphos	0,05	50
128.	Fenhexamid	0,1	50
129.	Fenitrothion	0,05	50
130.	Fenoxyprop-P	0,05	50
131.	Fenoxy carb	0,05	50
132.	Fenpropathrin	0,05	50
133.	Fenpropidin (sum of fenpropidin and its salts, expressed as fenpropidin)	0,05	50
134.	Fenpropimorph (sum of isomers)	0,05	50
135.	Fenpyrazamine	0,05	50
136.	Fenpyroximate	0,05	50
	Fenthion (fenthion and its oxygen analogue, their sulfoxides and sulfone expressed as parent)	0,1	50

Teest (kuivatatud materjal) QuEChERS-meetodiga analüüsitavate toimeainete, nende metaboliitide ja isomeeride nimekiri

Kehtiv alates 01.07.2022

Jrk. nr	Toimeaine	Alumine määramispõiir, mg/kg	Laiend-määramatus, U %, k=2
137.	Fenthion	0,05	50
138.	Fenthion-sulfone	0,1	50
139.	Fenthion-sulfoxide	0,05	50
140.	Fenthion oxon	0,05	50
141.	Fenthion oxon sulfone	0,05	50
142.	Fenthion oxon sulfoxide	0,05	50
143.	Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate)	0,05	50
	Fipronil (sum fipronil + sulfone metabolite (MB46136) expressed as fipronil)	0,05	50
144.	Fipronil sulfone	0,05	50
	Flonicamid (sum of flonicamid, TFNA and TFNG expressed as flonicamid)	0,1	50
145.	Flonicamid	0,1	50
146.	Florasulam	0,05	50
	Fluazifop-P (sum of all the constituent isomers of fluazifop, its esters and its conjugates, expressed as fluazifop)	0,1	50
147.	Fluazifop	0,1	50
148.	Fluazifop-P-butyl	0,05	50
149.	Fluazinam	0,05	50
150.	Flubendiamide	0,02	50
151.	Flucythrinate (flucythrinate including other mixtures of constituent isomers (sum of isomers))	0,05	50
152.	Fludioxonil	0,05	50
153.	Fluensulfone	0,05	50
154.	Flufenacet (sum of all compounds containing the N fluorophenyl-N-isopropyl moiety expressed as flufenacet)	0,05	50
155.	Flufenoxuron	0,05	50
156.	Fluopicolide	0,02	50
157.	Fluopyram	0,05	50
158.	Fluoxastrobin (sum of fluoxastrobin and its Z-isomer)	0,05	50
159.	Fluquinconazole	0,05	50
	Fluroxypyr (sum of fluroxypyr, its salts, its esters, and its conjugates, expressed as fluroxypyr)	0,1	50
160.	Fluroxypyr-methyl	0,1	50
161.	Flusilazole	0,05	50
162.	Flutolanil	0,05	50

Teest (kuivatatud materjal) QuEChERS-meetodiga analüüsitavate toimeainete, nende metaboliitide ja isomeeride nimekiri

Kehtiv alates 01.07.2022

Jrk. nr	Toimeaine	Alumine määramispõiir, mg/kg	Laiend-määramatus, U %, k=2
163.	Flutriafol	0,05	50
164.	Fluvalinate (sum of isomers) resulting from the use of tau-fluvalinate	0,01	50
165.	Fluxapyroxad	0,01	50
166.	Foramsulfuron	0,05	50
167.	Formetanate: Sum of formetanate and its salts expressed as formetanate(hydrochloride)	0,05	50
168.	Formothion	0,05	50
169.	Fosthiazate	0,05	50
170.	Fuberidazole	0,05	50
	Haloxyfop (Sum of haloxyfop, its esters, salts and conjugates expressed as haloxyfop (sum of the R- and S- isomers at any ratio))	0,1	50
171.	Haloxyfop	0,1	50
172.	Haloxyfop-R-methylester	0,05	50
	Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	0,05	50
173.	Heptachlor	0,05	50
174.	Heptachlorepoxide, cis-	0,05	50
175.	Heptachlorepoxide, trans-	0,05	50
176.	Heptenophos	0,05	50
177.	Hexachlorobenzene	0,02	50
178.	Hexachlorocyclohexane (HCH), alpha-isomer	0,02	50
179.	Hexachlorocyclohexane (HCH), beta-isomer	0,02	50
180.	Hexaconazole	0,05	50
181.	Hexaflumuron	0,05	50
182.	Hexythiazox	0,05	50
183.	Imazalil (any ratio of constituent isomers)	0,1	50
184.	Imazapyr	0,05	50
185.	Imidacloprid	0,05	50
186.	Indoxacarb (sum of indoxacarb and its R enantiomer)	0,05	50
187.	Iodosulfuron-methyl (sum of iodosulfuron-methyl and its salts, expressed as iodosulfuron-methyl)	0,05	50
188.	Iprodione	0,05	50
189.	Iprovalicarb	0,05	50
190.	Isofenphos-methyl	0,05	50
191.	Isoprothiolane	0,05	50
192.	Isoproturon	0,05	50
193.	Isopyrazam	0,05	50

Teest (kuivatatud materjal) QuEChERS-meetodiga analüüsitavate toimeainete, nende metaboliitide ja isomeeride nimekiri

Kehtiv alates 01.07.2022

Jrk. nr	Toimeaine	Alumine määramispõiir, mg/kg	Laiend-määramatus, U %, k=2
194.	Kresoxim-methyl	0,05	50
195.	Lambda-cyhalothrin (includes gamma-cyhalothrin) (sum of R,S and S,R isomers)	0,05	50
196.	Lenacil	0,05	50
197.	Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	0,02	50
198.	Linuron	0,05	50
199.	Lufenuron (any ratio of constituent isomers)	0,05	50
	Malathion (sum of malathion and malaoxon expressed as malathion)	0,05	50
200.	Malathion	0,05	50
201.	Mandipropamid (any ratio of constituent isomers)	0,05	50
	MCPA and MCPB (MCPA, MCPB including their salts, esters and conjugates expressed as MCPA)	0,1	50
202.	MCPA	0,1	50
203.	MCPB	0,1	50
204.	Mecarbam	0,05	50
205.	Mecoprop (sum of mecoprop-p and mecoprop expressed as mecoprop)	0,1	50
206.	Mefenpyr-Diethyl	0,05	50
207.	Mepanipyrim	0,05	50
208.	Mesosulfuron-methyl	0,05	50
209.	Metaflumizone (sum of E- and Z- isomers)	0,05	50
210.	Metalaxyl and metalaxyl-M (metalaxyl including other mixtures of constituent isomers including metalaxyl-M (sum of isomers))	0,05	50
211.	Metamitron	0,1	50
	Metazachlor (Sum of metabolites 479M04, 479M08 and 479M16, expressed as metazachlor)	0,05	50
212.	Metazachlor	0,05	50
213.	Metconazole (sum of isomers)	0,1	50
214.	Methacrifos	0,05	50
215.	Methamidophos	0,05	50
216.	Methidathion	0,1	50
	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0,05	50
217.	Methiocarb	0,05	50
218.	Methiocarb sulfone	0,05	50
219.	Methiocarb sulfoxide	0,05	50
220.	Methomyl	0,05	50

Teest (kuivatatud materjal) QuEChERS-meetodiga analüüsitavate toimeainete, nende metaboliitide ja isomeeride nimekiri

Kehtiv alates 01.07.2022

Jrk. nr	Toimeaine	Alumine määramispõiir, mg/kg	Laiend-määramatus, U %, k=2
221.	Methoxyfenozide	0,05	50
222.	Metobromuron	0,05	50
223.	Metolachlor and S-metolachlor (metolachlor including other mixtures of constituent isomers including S-metolachlor (sum of isomers))	0,05	50
224.	Metrafenone	0,05	50
225.	Metribuzin	0,1	50
226.	Metsulfuron-methyl	0,05	50
227.	Monocrotophos	0,05	50
228.	Monolinuron	0,05	50
229.	Myclobutanil (sum of constituent isomers)	0,05	50
230.	Napropamide (sum of isomers)	0,05	50
231.	Nicosulfuron	0,05	50
232.	Nitenpyram	0,05	50
233.	Omethoate	0,05	50
234.	Oxamyl	0,05	50
	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0,05	50
235.	Demeton-S-methylsulfone	0,05	50
236.	Demeton-S-methylsulfoxid (oxydemeton-methyl)	0,05	50
237.	Paclobutrazol (sum of constituent isomers)	0,05	50
238.	Parathion	0,05	50
	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0,05	50
239.	Paraoxon-methyl	0,05	50
240.	Parathion-methyl	0,05	50
241.	Penconazole (sum of constituent isomers)	0,05	50
	Pencycuron (sum of pencycuron and pencycuron-PB-amine, expressed as pencycuron)	0,05	50
242.	Pencycuron	0,05	50
243.	Pendimethalin	0,05	50
244.	Penthiopyrad	0,02	50
245.	Permethrin (sum of isomers)	0,05	50
246.	Phenmedipham	0,1	50
247.	Phentoate	0,05	50
	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	0,05	50
248.	Phorate	0,05	50

Teest (kuivatatud materjal) QuEChERS-meetodiga analüüsitavate toimeainete, nende metaboliitide ja isomeeride nimekiri

Kehtiv alates 01.07.2022

Jrk. nr	Toimeaine	Alumine määramispõiir, mg/kg	Laiend-määramatus, U %, k=2
249.	Phosalone	0,05	50
	Phosmet (phosmet and phosmet oxon expressed as phosmet)	0,05	50
250.	Phosmet	0,05	50
251.	Phosmet oxon	0,05	50
252.	Phoxim	0,05	50
253.	Picolinafen	0,05	50
254.	Picoxystrobin	0,05	50
255.	Pinoxaden	0,05	50
256.	Piperonyl butoxide	0,05	50
257.	Pirimicarb	0,05	50
258.	Pirimiphos-methyl	0,05	50
	Prochloraz (sum of prochloraz, BTS 44595 (M201-04) and BTS 44596 (M201-03), expressed as prochloraz)	0,05	50
259.	Prochloraz	0,05	50
260.	2,4,6-Trichlorophenol	0,05	50
261.	Procymidone	0,05	50
262.	Profenofos	0,05	50
263.	Prometryn	0,05	50
	Propachlor: oxalinic derivate of propachlor, expressed as propachlor	0,1	50
264.	Propachlor	0,1	50
265.	Propamocarb (Sum of propamocarb and its salts, expressed as propamocarb)	0,05	50
266.	Propazine	0,05	50
267.	Propham	0,05	50
268.	Propiconazole (sum of isomers)	0,05	50
269.	Propoxur	0,05	50
270.	Propoxycarbazone (propoxycarbazone, its salts and 2-hydroxypropoxycarbazone expressed as propoxycarbazone)	0,05	50
271.	Propyzamide	0,05	50
272.	Proquinazid	0,05	50
273.	Prosulfocarb	0,05	50
274.	Prothioconazole: prothioconazole-desthio (sum of isomers)	0,05	50
275.	Prothifos	0,05	50
276.	Pymetrozine	0,1	50
277.	Pyraclostrobin	0,05	50

Teest (kuivatatud materjal) QuEChERS-meetodiga analüüsitavate toimeainete, nende metaboliitide ja isomeeride nimekiri

Kehtiv alates 01.07.2022

Jrk. nr	Toimeaine	Alumine määramispõiir, mg/kg	Laiend-määramatus, U %, k=2
278.	Pyrazophos	0,05	50
279.	Pyridaben	0,05	50
280.	Pyridalyl	0,05	50
	Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)	0,05	50
281.	Pyridate	0,05	50
282.	Pyrimethanil	0,05	50
283.	Pyriofenone	0,05	50
284.	Pyriproxyfen	0,05	50
285.	Pyroxsulam	0,02	50
286.	Quinalphos	0,05	50
287.	Quinclorac	0,05	50
288.	Quinmerac	0,05	50
289.	Quinoxifen	0,05	50
	Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	0,05	50
290.	Quintozene	0,05	50
	Quizalofop (sum of quizalofop, its salts, its esters (including propaquizafop) and its conjugates, expressed as quizalofop (any ratio of constituent isomers))	0,05	50
291.	Quizalofop-ethyl	0,05	50
292.	Quizalofop-P-tefuryl	0,05	50
293.	Propaquizafop	0,05	50
294.	Rimsulfuron	0,05	50
295.	Sedaxane (sum of isomers)	0,1	50
	Spinosad (spinosad, sum of spinosyn A and spinosyn D)	0,05	50
296.	Spirodiclofen	0,05	50
297.	Spiromesifen	0,05	50
	Spirotetramat and spirotetramat-enol (sum of), expressed as spirotetramat	0,05	50
299.	Spirotetramat	0,05	50
300.	Spiroxamine (sum of isomers)	0,05	50
301.	Sulfosulfuron	0,05	50
302.	Tebuconazole	0,05	50
303.	Tebufenozide	0,05	50
304.	Tebufenpyrad	0,1	50

Teest (kuivatatud materjal) QuEChERS-meetodiga analüüsitavate toimeainete, nende metaboliitide ja isomeeride nimekiri

Kehtiv alates 01.07.2022

Jrk. nr	Toimeaine	Alumine määramispõiir, mg/kg	Laiend-määramatus, U %, k=2
305.	Tecnazene	0,05	50
306.	Teflubenzuron	0,05	50
307.	Tefluthrin	0,05	50
308.	Terbutryn	0,05	50
309.	Terbutylazine	0,05	50
310.	Tetraconazole	0,02	50
311.	Tetradifon	0,05	50
312.	Tetramethrin	0,05	50
313.	Thiabendazole	0,05	50
314.	Thiacloprid	0,05	50
315.	Thiamethoxam	0,1	50
316.	Thifensulfuron-methyl	0,05	50
317.	Thiodicarb	0,05	50
318.	Thiometon	0,05	50
319.	Tolclofos-methyl	0,05	50
320.	Tolfenpyrad	0,05	50
	Tolylfluanid (Sum of tolylfluanid and dimethylaminosulfotoluidide expressed as tolylfluanid)	0,05	50
321.	Tolylfluanid	0,05	50
322.	DMST (dimethylaminosulfotoluidide)	0,05	50
323.	Tralkoxydim (sum of the constituent isomers of tralkoxydim)	0,05	50
324.	Tri-allate	0,05	50
325.	Triadimefon	0,05	50
326.	Triadimenol (any ratio of constituent isomers)	0,05	50
327.	Triasulfuron	0,05	50
328.	Triazamate	0,05	50
329.	Triazophos	0,05	50
330.	Trichlorfon	0,05	50
331.	Tricyclazole	0,05	50
332.	Trifloxystrobin	0,05	50
333.	Triflumuron	0,05	50
334.	Trifluralin	0,05	50
335.	Triforine	0,05	50
336.	Trinexapac (sum of trinexapac (acid) and its salts, expressed as trinexapac)	0,05	50
337.	Vinclozolin	0,05	50
338.	Zoxamide	0,05	50