

Mullast QuEChERS-meetodiga analüüsitavate toimeainete, nende metaboliitide ja isomeeride nimekiri

Kehtiv alates 01.07.2022

Jrk. nr	Toimeaine	Alumine määramispiir, mg/kg	Laiend- määramatus, U %, k=2
	2,4-D (sum of 2,4-D, its salts, its esters and its conjugates, expressed as 2,4-D)	0,005	35
1.	2,4-D	0,005	35
2.	2,4-D 2-EHE	0,01	34
3.	Acephate	0,005	36
4.	Acetamiprid	0,005	24
5.	Aclonifen	0,01	38
6.	Acrinathrin	0,01	30
	Aldicarb (sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb)	0,005	33
7.	Aldicarb	0,005	33
8.	Aldicarb-Sulfone	0,005	25
9.	Aldicarb-Sulfoxide	0,005	33
	Aldrin and Dieldrin (Aldrin and dieldrin combined expressed as dieldrin)	0,005	39
10.	Aldrin	0,005	39
11.	Dieldrin	0,005	34
12.	Ametoctradin	0,005	25
13.	Amidosulfuron	0,005	28
14.	Amisulbrom	0,005	33
15.	Atrazine	0,01	31
16.	Azinphos-ethyl	0,01	35
17.	Azinphos-methyl	0,005	24
18.	Azoxystrobin	0,005	23
19.	Benalaxyl including other mixtures of constituent isomers including benalaxyl-M (sum of isomers)	0,005	22
	Bentazone (Sum of bentazone, its salts and 6-hydroxy (free and conjugated) and 8-hydroxy bentazone (free and conjugated), expressed as bentazone)	0,005	35
20.	Bentazone	0,005	35
21.	Bifenox	0,01	34
22.	Bifenthrin (sum of isomers)	0,01	32
23.	Bitertanol (sum of isomers)	0,01	38
24.	Bixafen	0,005	38
25.	Boscalid	0,01	33
26.	Bromophos-ethyl	0,005	31
27.	Bromophos-methyl	0,005	17

Mullast QuEChERS-meetodiga analüüsitavate toimeainete, nende metaboliitide ja isomeeride nimekiri

Kehtiv alates 01.07.2022

Jrk. nr	Toimeaine	Alumine määramispiir, mg/kg	Laiend- määramatus, U %, k=2
28.	Bromopropylate	0,01	38
29.	Bromuconazole (sum of diastereoisomers)	0,01	29
30.	Bupirimate	0,01	28
31.	Buprofezin	0,01	28
32.	Cadusafos	0,01	34
33.	Carbaryl	0,005	36
34.	Carbendazim and benomyl (sum of benomyl and carbendazim expressed as carbendazim)	0,005	34
35.	Carbetamide (sum of carbetamide and its S isomer)	0,005	34
	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran)	0,005	25
36.	Carbofuran	0,005	21
37.	Carbofuran, 3-hydroxy	0,005	25
38.	Chlorantraniliprole (DPX E-2Y45)	0,005	25
39.	Chlorfenapyr	0,01	36
40.	Chlorfenvinphos	0,01	36
	Chloridazon (sum of chloridazon and chloridazon-desphenyl, expressed as chloridazon)	0,005	32
41.	Chloridazon	0,005	32
42.	Chlormephos	0,01	26
43.	Chlorobenzilate	0,01	36
44.	Chlorothalonil	0,01	26
45.	Chlorotoluron	0,005	27
46.	Chlorpropham	0,01	38
47.	Chlorpyrifos	0,01	35
48.	Chlorpyrifos-methyl	0,01	39
49.	Chlorsulfuron	0,005	28
50.	Clofentezine	0,005	31
51.	Clomazone	0,005	32
52.	Clopyralid	0,05	7
53.	Cloquintocet-1-Mexyl	0,005	33
54.	Clothianidin	0,005	32
55.	Coumaphos	0,005	27
56.	Cyanazine	0,005	37
57.	Cyazofamid	0,005	29

Mullast QuEChERS-meetodiga analüüsitavate toimeainete, nende metaboliitide ja isomeeride nimekiri

Kehtiv alates 01.07.2022

Jrk. nr	Toimeaine	Alumine määramispiir, mg/kg	Laiend- määramatus, U %, k=2
	Cycloxydim including degradation and reaction products which can be determined as 3-(3-thianyl)glutaric acid S-dioxide (BH 517-TGSO ₂) and/or 3-hydroxy-3-(3-thianyl)glutaric acid S-dioxide (BH 517-5-OH-TGSO ₂) or methyl esters thereof, calculated in total as cycloxydim	0,005	27
58.	Cycloxydim	0,005	27
59.	Cyflufenamid (sum of cyflufenamid (Z-isomer) and its E-isomer, expressed as cyflufenamid)	0,005	29
60.	Cyfluthrin (cyfluthrin including other mixtures of constituent isomers (sum of isomers))	0,01	30
61.	Cymiazol	0,005	29
62.	Cymoxanil	0,005	20
	Cypermethrin (cypermethrin including other mixtures of constituent isomers (sum of isomers))	0,01	37
63.	Cypermethrin	0,01	28
64.	Cypermethrin, alpha- (Alphamethrin)	0,01	37
65.	Cypermethrin, beta-	0,01	31
66.	Cyproconazole	0,005	21
67.	Cyprodinil	0,01	31
	DDT (sum of p,p'-DDT, o,p'-DDT, p-p'-DDE and p,p'-TDE (DDD) expressed as DDT)	0,005	36
68.	DDD, p,p-	0,005	33
69.	DDE, p,p-	0,005	36
70.	DDT, o,p-	0,005	35
71.	DDT, p,p-	0,005	19
72.	Deltamethrin (cis-deltamethrin)	0,01	28
73.	Demeton-S-methyl	0,005	38
74.	Desmedipham	0,005	26
75.	Desmetryn	0,01	30
76.	Diazinon	0,01	37
77.	Dicamba	0,05	24
78.	Dichlofluanid	0,01	35
	Dichlorprop (Sum of dichlorprop (including dichlorprop-P), its salts, esters and conjugates, expressed as dichlorprop)	0,005	27
79.	Dichlorprop	0,005	27
	Sum of diclofop-methyl, diclofop acid and its salts, expressed as diclofop-methyl (sum of isomers)	0,005	26
80.	Diclofop-Methyl	0,005	26

Mullast QuEChERS-meetodiga analüüsitavate toimeainete, nende metaboliitide ja isomeeride nimekiri

Kehtiv alates 01.07.2022

Jrk. nr	Toimeaine	Alumine määramispiir, mg/kg	Laiend- määramatus, U %, k=2
81.	Dicloran	0,01	38
82.	Dicofol (sum of p, p' and o,p' isomers)	0,01	31
83.	Dicrotophos	0,005	30
84.	Diethofencarb	0,005	34
85.	Difenoconazole	0,01	35
86.	Diflubenzuron	0,005	38
87.	Diflufenican	0,01	37
88.	Dimethachlor	0,01	36
89.	Dimethoate	0,005	29
90.	Dimethomorph (sum of isomers)	0,01	25
91.	Dimoxystrobin	0,01	34
	Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap)	0,005	30
92.	Dinocap	0,005	30
93.	Dinotefuran	0,005	37
94.	Diphenylamine	0,01	31
	Disulfoton (sum of disulfoton, disulfoton sulfoxide and disulfoton sulfone expressed as disulfoton)	0,01	30
95.	Disulfoton	0,01	30
96.	Diuron	0,005	23
97.	Dodine	0,005	24
	Emamectin benzoate B1a, expressed as emamectin	0,005	35
98.	Emamectin Benzoate B1a	0,005	35
99.	Emamectin B1b	0,005	25
	Endosulfan (sum of alpha- and beta-isomers and endosulfan-sulphate expresses as endosulfan)	0,005	36
100.	Endosulfan, alpha-	0,005	34
101.	Endosulfan, beta-	0,005	29
102.	Endosulfan-sulfate	0,005	36
103.	Endrin	0,005	38
104.	Epoxiconazole	0,01	39
105.	Ethametsulfuron-methyl	0,005	29
106.	Ethiofencarb	0,005	44
107.	Ethion	0,01	32
108.	Ethirimol	0,005	32
	Ethofumesate (Sum of ethofumesate, 2-keto-ethofumesate, open-ring-2-keto-ethofumesate and its conjugate, expressed as ethofumesate)	0,005	27
109.	Ethofumesate	0,005	27

Mullast QuEChERS-meetodiga analüüsitavate toimeainete, nende metaboliitide ja isomeeride nimekiri

Kehtiv alates 01.07.2022

Jrk. nr	Toimeaine	Alumine määramispiir, mg/kg	Laiend- määramatus, U %, k=2
110.	Ethoprophos	0,01	41
111.	Etofenprox	0,005	34
112.	Etrimfos	0,01	35
113.	Famoxadone	0,01	31
114.	Fenamidone	0,01	29
	Fenamiphos (sum of fenamiphos and its sulphoxide and sulphone expressed as fenamiphos)	0,005	29
115.	Fenamiphos	0,005	29
116.	Fenamiphos-sulfone	0,005	19
117.	Fenamiphos-sulfoxide	0,005	26
118.	Fenarimol	0,01	36
119.	Fenazaquin	0,005	30
120.	Fenbuconazole (sum of constituent enantiomers)	0,005	26
	Fenchlorphos (sum of fenchlorphos and fenchlorphos oxon expressed as fenchlorphos)	0,01	35
121.	Fenchlorphos	0,01	35
122.	Fenhexamid	0,01	41
123.	Fenitrothion	0,01	37
124.	Fenoxaprop-P-ethyl	0,005	28
125.	Fenoxycarb	0,005	31
126.	Fenpicoxamid	0,005	21
127.	Fenpropathrin	0,01	33
128.	Fenpropidin (sum of fenpropidin and its salts, expressed as fenpropidin)	0,01	39
129.	Fenpropimorph (sum of isomers)	0,01	39
130.	Fenpyrazamine	0,005	28
131.	Fenpyroximate	0,005	29
	Fenthion (fenthion and its oxigen analogue, their sulfoxides and sulfone expressed as parent)	0,01	36
132.	Fenthion	0,01	36
133.	Fenthion-sulfone	0,005	20
134.	Fenthion-sulfoxide	0,005	24
135.	Fenthion oxon	0,005	25
136.	Fenthion oxon sulfone	0,005	20
137.	Fenthion oxon sulfoxide	0,005	30
138.	Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate)	0,01	29
	Fipronil (sum fipronil + sulfone metabolite (MB46136) expressed as fipronil)	0,005	20
139.	Fipronil	0,005	20

Mullast QuEChERS-meetodiga analüüsitavate toimeainete, nende metaboliitide ja isomeeride nimekiri

Kehtiv alates 01.07.2022

Jrk. nr	Toimeaine	Alumine määramispiir, mg/kg	Laiend- määramatus, U %, k=2
	Flonicamid (sum of flonicamid, TFNA and TFNG expressed as flonicamid)	0,005	31
140.	Flonicamid	0,005	31
141.	Florasulam	0,005	25
	Fluazifop-P (sum of all the constituent isomers of fluazifop, its esters and its conjugates, expressed as fluazifop)	0,01	36
142.	Fluazifop	0,005	28
143.	Fluazifop-P-butyl	0,01	36
144.	Fluazinam	0,005	31
145.	Flubendiamide	0,005	35
146.	Flucythrinate (flucythrinate including other mixtures of constituent isomers (sum of isomers))	0,01	29
147.	Fludioxonil	0,005	27
148.	Flufenacet (sum of all compounds containing the N fluorophenyl-N-isopropyl moiety expressed as flufenacet)	0,005	24
149.	Flufenoxuron	0,005	29
150.	Fluopicolide	0,01	32
151.	Fluopyram	0,005	22
152.	Fluoxastrobin (sum of fluoxastrobin and its Z-isomer)	0,005	28
153.	Fluquinconazole	0,01	28
	Fluroxypyr (sum of fluroxypyr, its salts, its esters, and its conjugates, expressed as fluroxypyr)	0,005	31
154.	Fluroxypyr-meptyl	0,005	31
155.	Flusilazole	0,01	36
156.	Flutolanil	0,005	26
157.	Flutriafol	0,01	42
158.	Fluvalinate (sum of isomers) resulting from the use of tau-fluvalinate	0,01	30
159.	Fluxapyroxad	0,005	30
160.	Foramsulfuron	0,005	28
161.	Formothion	0,01	38
162.	Fosthiazate	0,005	24
163.	Fuberidazole	0,005	35
	Haloxyfop (Sum of haloxyfop, its esters, salts and conjugates expressed as haloxyfop (sum of the R- and S- isomers at any ratio))	0,01	35
164.	Haloxyfop	0,005	34
165.	Haloxyfop-R-methylester	0,01	35

Mullast QuEChERS-meetodiga analüüsitavate toimeainete, nende metaboliitide ja isomeeride nimekiri

Kehtiv alates 01.07.2022

Jrk. nr	Toimeaine	Alumine määramispiir, mg/kg	Laiend- määramatus, U %, k=2
	Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	0,01	41
166.	Heptachlor	0,01	41
167.	Heptachlorepoxyde, cis-	0,005	29
168.	Heptachlorepoxyde, trans-	0,005	33
169.	Heptenophos	0,01	32
170.	Hexachlorobenzene	0,005	42
171.	Hexachlorocyclohexane (HCH), alpha-isomer	0,005	32
172.	Hexachlorocyclohexane (HCH), beta-isomer	0,005	24
173.	Hexaconazole	0,01	39
174.	Hexaflumuron	0,005	36
175.	Hexythiazox	0,005	30
176.	Imazalil (any ratio of constituent isomers)	0,01	33
177.	Imazapyr	0,005	32
178.	Imidacloprid	0,005	31
179.	Indoxacarb (sum of indoxacarb and its R enantiomer)	0,01	35
180.	Iodosulfuron-methyl (sum of iodosulfuron-methyl and its salts, expressed as iodosulfuron-methyl)	0,005	21
181.	Iprodione	0,01	36
182.	Iprovalicarb	0,005	25
183.	Isofenphos	0,005	26
184.	Isofenphos-methyl	0,005	29
185.	Isoproturon	0,005	23
186.	Kresoxim-methyl	0,01	35
187.	Lambda-cyhalothrin (includes gamma-cyhalothrin) (sum of R,S and S,R isomers)	0,01	32
188.	Lenacil	0,005	24
189.	Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	0,005	30
190.	Linuron	0,005	29
191.	Lufenuron (any ratio of constituent isomers)	0,005	26
	Malathion (sum of malathion and malaoxon expressed as malathion)	0,01	35
192.	Malaoxon	0,01	35
193.	Malathion	0,01	31
194.	Mandipropamid (any ratio of constituent isomers)	0,005	24
	MCPA and MCPB (MCPA, MCPB including their salts, esters and conjugates expressed as MCPA)	0,005	33

Mullast QuEChERS-meetodiga analüüsitavate toimeainete, nende metaboliitide ja isomeeride nimekiri

Kehtiv alates 01.07.2022

Jrk. nr	Toimeaine	Alumine määramispiir, mg/kg	Laiend- määramatus, U %, k=2
195.	MCPA	0,005	30
196.	MCPB	0,005	33
197.	Mecarbam	0,01	32
198.	Mecoprop (sum of mecoprop-p and mecoprop expressed as mecoprop)	0,005	26
199.	Mepanipyrim	0,01	37
200.	Mesosulfuron-methyl	0,005	24
201.	Metaflumizone (sum of E- and Z- isomers)	0,005	38
202.	Metalaxyl and metalaxyl-M (metalaxyl including other mixtures of constituent isomers including metalaxyl-M (sum of isomers))	0,01	26
203.	Metamitron	0,005	35
	Metazachlor (Sum of metabolites 479M04, 479M08 and 479M16, expressed as metazachlor)	0,01	27
204.	Metazachlor	0,01	27
205.	Metconazole (sum of isomers)	0,005	34
206.	Methacrifos	0,005	29
207.	Methamidophos	0,005	42
208.	Methidathion	0,01	36
	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0,005	26
209.	Methiocarb	0,005	26
210.	Methiocarb sulfone	0,005	24
211.	Methiocarb sulfoxide	0,005	26
212.	Methomyl	0,005	29
213.	Methoxyfenozide	0,005	24
214.	Metobromuron	0,005	31
215.	Metolachlor and S-metolachlor (metolachlor including other mixtures of constituent isomers including S-metolachlor (sum of isomers))	0,005	23
216.	Metrafenone	0,01	28
217.	Metribuzin	0,005	37
218.	Metsulfuron-methyl	0,005	20
219.	Mevinphos (sum of E- and Z-isomers)	0,01	38
220.	Monocrotophos	0,005	28
221.	Monolinuron	0,005	31
222.	Myclobutanil (sum of constituent isomers)	0,01	35
223.	Nicosulfuron	0,005	23
224.	Nitenpyram	0,005	34

Mullast QuEChERS-meetodiga analüüsitavate toimeainete, nende metaboliitide ja isomeeride nimekiri

Kehtiv alates 01.07.2022

Jrk. nr	Toimeaine	Alumine määramispiir, mg/kg	Laiend- määramatus, U %, k=2
225.	Novaluron	0,005	26
226.	Omethoate	0,005	30
227.	Oxadixyl	0,01	35
228.	Oxamyl	0,005	30
229.	Oxathiapiprolin	0,01	15
	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0,005	28
230.	Demeton-S-methylsulfone	0,005	28
231.	Demeton-S-methylsulfoxid (oxydemeton-methyl)	0,005	25
232.	Paclobutrazol (sum of constituent isomers)	0,005	26
233.	Parathion	0,01	33
	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0,01	31
234.	Paraoxon-methyl	0,005	31
235.	Parathion-methyl	0,01	31
236.	Penconazole (sum of constituent isomers)	0,01	30
	Pencycuron (sum of pencycuron and pencycuron-PB-amine, expressed as pencycuron)	0,005	24
237.	Pencycuron	0,005	24
238.	Pendimethalin	0,01	38
239.	Penthiopyrad	0,005	21
240.	Permethrin (sum of isomers)	0,01	29
241.	Phenmedipham	0,005	34
242.	Phenthoate	0,01	37
243.	Phosalone	0,01	32
	Phosmet (phosmet and phosmet oxon expressed as phosmet)	0,01	36
244.	Phosmet oxon	0,005	24
245.	Phosphamidon	0,01	29
246.	Phoxim	0,005	28
247.	Picloram	0,05	10
248.	Picolinafen	0,01	37
249.	Pinoxaden	0,005	25
250.	Piperonyl butoxide	0,005	19
251.	Pirimicarb	0,01	36
252.	Pirimicarb-desmethyl	0,01	34
253.	Pirimiphos-methyl	0,01	27
	Prochloraz (sum of prochloraz, BTS 44595 (M201-04) and BTS 44596 (M201-03), expressed as prochloraz)	0,01	36

Mullast QuEChERS-meetodiga analüüsitavate toimeainete, nende metaboliitide ja isomeeride nimekiri

Kehtiv alates 01.07.2022

Jrk. nr	Toimeaine	Alumine määramispiir, mg/kg	Laiend- määramatus, U %, k=2
254.	Prochloraz	0,01	36
255.	Procymidone	0,01	30
256.	Profenofos	0,01	35
257.	Prometryn	0,01	39
	Propachlor: oxalinic deriviate of propachlor, expressed as propachlor	0,01	37
258.	Propachlor	0,01	37
259.	Propamocarb (Sum of propamocarb and its salts, expressed as propamocarb)	0,005	43
260.	Propazine	0,005	25
261.	Propiconazole (sum of isomers)	0,01	31
262.	Propoxur	0,005	23
263.	Propoxycarbazone (propoxycarbazone, its salts and 2-hydroxypropoxycarbazone expressed as propoxycarbazone)	0,005	27
264.	Propyzamide	0,01	38
265.	Prosulfocarb	0,005	31
266.	Prothioconazole: prothioconazole-desthio (sum of isomers)	0,005	27
267.	Prothiofos	0,01	35
268.	Pymetrozine	0,005	4
269.	Pyraclostrobin	0,01	39
270.	Pyrazophos	0,01	32
271.	Pyridaben	0,005	28
	Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)	0,005	33
272.	Pyridate	0,005	33
273.	Pyrimethanil	0,01	37
274.	Pyriofenone	0,005	31
275.	Pyriproxyfen	0,005	24
276.	Pyroxsulam	0,005	19
277.	Quinalphos	0,01	32
278.	Quinclorac	0,005	40
279.	Quinmerac	0,005	34
280.	Quinoxyfen	0,01	30
	Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	0,005	46
281.	Quintozene	0,005	46

Mullast QuEChERS-meetodiga analüüsitava toimeainete, nende metaboliitide ja isomeeride nimekiri

Kehtiv alates 01.07.2022

Jrk. nr	Toimeaine	Alumine määramispiir, mg/kg	Laiend- määramatus, U %, k=2
	Quizalofop (sum of quizalofop, its salts, its esters (including propaquizafop) and its conjugates, expressed as quizalofop (any ratio of constituent isomers))	0,005	29
282.	Quizalofop-ethyl	0,005	29
283.	Quizalofop-P-tefuryl	0,005	20
284.	Propaquizafop	0,005	25
285.	Quizalofop (free acid)	0,005	18
286.	Rimsulfuron	0,005	31
287.	Sedaxane (sum of isomers)	0,005	33
288.	Simazine	0,01	25
289.	Spinetoram (XDE-175)	0,005	18
290.	Spinosad (spinosad, sum of spinosyn A and spinosyn D)	0,005	20
291.	Spirodiclofen	0,005	35
292.	Spiromesifen	0,005	31
	Spirotetramat and spirotetramat-enol (sum of), expressed as spirotetramat	0,005	34
293.	Spirotetramat, BYI08330-enol	0,005	21
294.	Spirotetramat, BYI08330-enol-glucoside	0,005	26
295.	Spirotetramat, BYI08330-ketohydroxy	0,005	34
296.	Spirotetramat, BYI08330-monohydroxy	0,005	18
297.	Spirotetramat	0,005	34
298.	Spiroxamine (sum of isomers)	0,005	23
299.	Sulfosulfuron	0,005	22
300.	Sulfoxaflo (sum of isomers)	0,005	26
301.	Tebuconazole	0,01	36
302.	Tebufenozide	0,005	23
303.	Tebufenpyrad	0,005	26
304.	Tecnazene	0,005	32
305.	Teflubenzuron	0,005	31
306.	Tefluthrin	0,01	34
307.	Terbutryn	0,01	25
308.	Terbuthylazine	0,005	21
309.	Tetraconazole	0,01	29
310.	Tetradifon	0,01	37
311.	Tetramethrin	0,005	30
312.	Thiabendazole	0,005	16
313.	Thiacloprid	0,005	23

Mullast QuEChERS-meetodiga analüüsitud toimeainete, nende metaboliitide ja isomeeride nimekiri

Kehtiv alates 01.07.2022

Jrk. nr	Toimeaine	Alumine määramispiir, mg/kg	Laiend- määramatus, U %, k=2
314.	Thiamethoxam	0,005	25
315.	Thiencarbazone-Methyl	0,005	35
316.	Thifensulfuron	0,005	22
317.	Thiodicarb	0,005	25
318.	Thiophanate-methyl	0,005	23
319.	Thiometon	0,01	38
320.	Tolclofos-methyl	0,01	38
321.	Tolfenpyrad	0,005	33
	Tolylfluanid (Sum of tolylfluanid and dimethylaminosulfotoluidide expressed as tolylfluanid)	0,01	31
322.	Tolylfluanid	0,01	31
323.	DMST (dimethylaminosulfotoluidide)	0,005	21
324.	Tralkoxydim (sum of the constituent isomers of tralkoxydim)	0,005	23
325.	Triadimefon	0,01	33
326.	Triadimenol (any ratio of constituent isomers)	0,01	36
327.	Triasulfuron	0,005	28
328.	Triazophos	0,01	33
329.	Trichlorfon	0,005	31
330.	Tricyclazole	0,005	32
331.	Trifloxystrobin	0,01	29
332.	Triflumuron	0,005	31
333.	Trifluralin	0,005	36
334.	Triforine	0,005	30
335.	Trinexapac (sum of trinexapac (acid) and its salts, expressed as trinexapac)	0,005	39
336.	Triticonazole	0,01	35
337.	Tritosulfuron	0,005	28
338.	Vinclozolin	0,01	37
339.	Zoxamide	0,01	29